



Warning:

This product must be installed by personnel who are familiar with its structure and related hazards, in accordance with the installation specifications. This product is suitable for indoor installation.




Product style diagram


Steps of installation




Install the T-shaped bracket onto the main body of the lamp, and then secure it with screws.



Connect the wires inside the luminaire and ceiling to the terminal, usually neutral wire (white), hot wire (black)




Align the two holes on the top cover of the lamp with the holes on the installation plate on the ceiling, and then secure them with screws.



First, assemble the lamp arm bracket (E) together. Then, thread the wires on the lamp arm through the threaded rod (D) and insert them into the top cover (C). Next, fix the threaded rod (D) to the lamp and the top cover (C). After that, install the glass lampshade (F) onto the lamp head, and then lock it with the lamp head ring (G). Fix the mounting plate (A) to the ceiling. Next, connect the wires reserved for the top cover (C) to the wires on the ceiling, and then connect them to the terminals (B). Then, align the holes on the top cover (C) with the holes on the mounting plate (A), and tighten the screws.


Warning:

This product must be installed by personnel who are familiar with its structure and related hazards, in accordance with the installation specifications. This product is suitable for indoor installation.




Product style diagram


Steps of installation




Next, install the mounting plate (A) on the ceiling



Then, connect the wires of the top cover to the wires on the ceiling using the terminal block .




Next, align the holes of the top cover with the threaded rod of the mounting plate , and tighten the screws.



First, assemble the double-head lamp body (F) and the three-head lamp body (H). Next, attach the short rod (G) to (the double-head lamp body (F) and the three-head lamp body (H)). Then, attach the long rod (E) to the short rod (G). After that, attach the top cover (C) to the long rod (E). Next, install the mounting plate (A) on the ceiling. Then, connect the wires of the top cover (C) to the wires on the ceiling using the terminal block (B). Next, align the holes of the top cover (C) with the threaded rod of the mounting plate (A), and tighten the screws. Finally, assemble the glass (I) onto the three-head lamp body (H). Then, tighten the nut (J).


Warning:

This product must be installed by personnel who are familiar with its structure and related hazards, in accordance with the installation specifications. This product is suitable for indoor installation.




Product style diagram


Steps of installation




Install the T-shaped bracket onto the main body of the lamp, and then secure it with screws.



Connect the wires inside the luminaire and ceiling to the terminal, usually neutral wire (white), hot wire (black)



Align the two holes on the top cover of the lamp with the holes on the installation plate on the ceiling, and then secure them with screws.



First, assemble the lamp arm bracket (E) together. Then, thread the wires on the lamp arm through the threaded rod (D) and insert them into the top cover (C). Next, fix the threaded rod (D) to the lamp and the top cover (C). After that, install the glass lampshade (F) onto the lamp head, and then lock it with the lamp head ring (G). Fix the mounting plate (A) to the ceiling. Next, connect the wires reserved for the top cover (C) to the wires on the ceiling, and then connect them to the terminals (B). Then, align the holes on the top cover (C) with the holes on the mounting plate (A), and tighten the screws.